

KHIL'KO, N. I.

5
RmL

Chemical Abat.
Vol. 48 No. 8
Apr. 25, 1956
Electrochemistry

Disintegration of the particles generating nuclear-electronic showers. N. A. Arinov, V. P. Vishnevskii, and N. I. Khil'ko. Doklady Akad. Nauk S.S.S.R. 78, 231-4 (1961), 47, 10371d. — Determination of absorption coeff. in water and air of the particles generating nuclear-electronic showers were made in the lake Shor-Kol (3000 m.) and Osh (900 m.). Coincident signals from 4 or 5 groups of counters were registered. The trays of counters were enclosed in 8-cm. Pb blocks. They were lowered into various depths in the lake in an Fe barrel. It was shown that only nuclear electronic showers generated in Pb were registered. The registration of δ -showers was practically excluded. The random coincidences were very rare. The absorption coeff. for H_2O (1) $1/\mu_{90} = 170 \pm 10$ g./sq. cm. The absorption coeff. for air (2) $1/\mu_{90} = 123 \pm 8$ g./sq. cm. The difference between (1) and (2) shows that at least some of the particles generating nuclear-electronic showers disintegrate in the air. The unstable generating particles do not disintegrate in a dense medium and are therefore absorbed more slowly. These particles are most probably π -mesons. The estimate of the av. no. of π -mesons formed during the generation of the observable nuclear-electronic showers can be called from $\mu_{90} = \mu_{90}(1 - \Delta)$, where Δ = no. of the secondary nuclear-active particles formed in one act. $\Delta \sim 0.3$ = no. of π -mesons having max. energy and capable of generating secondary nuclear-electronic showers.

SOV/137-58-9-20219

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 9, p 299 (USSR)

AUTHORS: Yakobson, I.I., Shirokiy, P.L., Khil'ko, N.I., Chubarov, L.B.

TITLE: Technical Quality Control With Gamma Rays From Radioactive Cobalt Co⁶⁰ (Tekhnicheskiy kontrol' gamma-luchami radio-aktivnogo kobal'ta Co⁶⁰)

PERIODICAL: Sb. nauchn. tr. Tashkentsk. in-t inzh. zh.-d. transp., 1957, Nr 7, pp 131-142

ABSTRACT: Described are γ -ray emitters, apparatus for flaw detection with γ -rays, methods for plotting gamma-diagrams, and the sensitivity of the method of flaw detection with γ -rays. The method is developed for the utilization of the GUP-Co-0.5-1 installation for γ -ray examination of steel 10-170 mm thick. For small thicknesses of steel (~ 10 mm) it is considered feasible to use Co⁶⁰ provided that the focal distance is increased to 40-50 cm and that Pb electrons [electrodes? Transl. Note] are used. 1. Steel---Inspection 2. Gamma rays---Applications 3. Gamma ray analysis---Equipment 4. Cobalt isotopes T.R. (Radioactive)---Performance

Card 1/1

EPSHTEYN, M.M.; KHIL'KO, [Khyl'ko, O.K.]

Effect of α -pinene on carbohydrate and phosphorus metabolism.
Ukr. biokhim. zhur. 32 no.5:710-717 '60. (MIRA 14:1)

1. Kafedra biokhimii Kiyevskogo meditsinskogo instituta.
(PINENE) (CARBOHYDRATE METABOLISM)
(PHOSPHORUS METABOLISM)

SHAMRAY, Ye.F. [Shamrai, IE.F.]; KHIL'KO, O.K. [Khyl'ko, O.K.]; SAPOTSINSKAYA, Ye.B. [Sapotsins'ka, IE.B.]

Method of quantitative determination of nitrogen in organic compounds and tissues. Ukr. biokhim. zhur. 34 no.3:443-450 '62.

(MIRA 18:5)

1. Kafedra biokhimiï Kiyevskogo meditsinskogo instituta.

KHIL'KO, O.K. [Khy'l'ko, O.K.]

Age-related changes in the content of sulfhydryl groups and adenosine-triphosphatase activity of myosin. Ukr. biokhim. zhur. 37 no.1:8-13 '65. (MIRA 18:5)

1. Institut of Gerontology and Experimental Pathology of the Academy of Medical Sciences of the U.S.S.R., Kiev.

L 13012-63 EFF(o)/EWP(j)/EWT(m)/BDS ASD Pr-4/Pc-4 RM/WW
 ACCESSION NR: AP3002907 S/0289/63/000/001/0136/0140

AUTHOR: Shostakovskiy, M. F.; Sokolov, B. A.; Khil'ko, O. N.; Shergina, N. I. 65

TITLE: The sequence of addition of hydrosilanes to phenylacetylene

SOURCE: AN SSSR. Sibirskoye otdeleniye. Izvestiya. Seriya khimicheskikh nauk, no. 1, 1963, 136-140

TOPIC TAGS: hydrosilane addition reaction, trans-isomer formation, trichlorosilane, methyldichlorosilane, ethyldichlorosilane, methylethyldichlorosilane, triethylsilane

ABSTRACT: This study is an investigation of the addition reactions of one or two hydrosilane molecules to phenylacetylene. The addition reaction of hydrosilanes to an acetylene triple bond is accomplished by means of a catalyst which is 0.1 M H_2PtCl_6 in isopropyl alcohol. The synthesized products containing the double bond may be used to obtain polymers. Some of these products will polymerize if only left to stand. The hydrosilanes investigated in this work were trichlorosilane, methyldichlorosilane, ethyldichlorosilane, methylethyldichlorosilane, and triethylsilane in accordance with the reaction shown in the Enclosure. It was shown that one or two molecules can react with

Card 1/2

L 13012-63

ACCESSION NR: AP3002807

phenylacetylene contrary to the Markov law. When using H sub 2 PtCl sub 6 times
6 H sub 2 O catalyst, the cis-additive of hydrosilane molecule forms a trans-
isomer. Orig. art. has: 1 table.

ASSOCIATION: Irkutskiy Insitut Organicheskoy Khimii Sibirskogo Otdeleniya AN SSSR
(Irkutsk Institute of Organic Chemistry, Siberian Department, AN SSSR)

SUBMITTED: 29Apr62

DATE ACQ: 24Jul63

ENCL: 01

SUB CODE: 00

NO REF SOV: 006

OTHER: 004

Card 2/2

ACCESSION NR: AP4015148

S/0289/63/000/003/0092/0096

AUTHORS: Shostakovskiy, M.F.; Sokolov, B.A.; Khil'ko, O.N.;
Balezina, G.G.; Alekseyeva, G.M.

TITLE: Addition of silane hydrides to vinyl ethers

SOURCE: AN SSSR. Sib. otd. Izv., no. 11. Ser. Khim. nauk, no. 3,
1963, 92-96

TOPIC TAGS: silicohydride, silane, silane hydride, addition re-
action, vinyl ether addition reaction, trichlorosilane ether,
dichloromethylsilane ether, dichloroethylsilane ether, triethyl-
silane ether, beta ether, Markownikoff rule, Raman spectrum

ABSTRACT: The addition of trichlorosilane, methyldichlorosilane,
ethyldichlorosilane, and triethylsilane to vinylisopropyl-, vinyl-
butyl-, vinylphenyl-, vinyl- o-, m- and p-cresyl ethers were studied.
The addition of equimolar amounts of silane and vinyl ether was
effected by heating and using chloroplatinic acid as the catalyst
(beta-phenoxyethyltriethylsilane was prepared by the Grignard re-

Card 1/2

ACCESSION NR: AP4015148

action). The following new compounds were prepared and characterized: the beta-phenoxyethyl-, the beta-o-cresoxy ethyl, the beta-m-cresoxyethyl, and the beta-p-cresoxyethyl- trichlorosilanes; -dichloromethylsilanes, dichloroethylsilanes, and -triethylsilanes; the beta-butoxyethyl-dichloromethylsilane, dichloroethylsilane and triethylsilane; and the beta-isopropoxyethyldichloroethylsilane. The presence of the beta structure in the products, contrary to Markownikoff's rule, was confirmed by Raman spectra and chemical decomposition. "Spectra were taken by N.I. Golovanov, for which the authors express their appreciation." Orig. art. has: 1 table and 1 equation.

ASSOCIATION: Irkutskiy institut organicheskoy khimii Sibirskogo otdeleniya AN SSSR (Irkutsk Institute of Organic Chemistry, Siberian branch AN SSSR)

SUBMITTED: 03Aug62

DATE ACQ: 13Mar64

ENCL: 00

SUB CODE: CH

NO REF SOV: 005

OTHER: 006

Card 2/2

L 32217-65 ENT(m)/EFF(c)/T/EMP(j)/EPR Fe-L/Pr-L/Ps-L RPL WW/GS/RH

ACCESSION NR: AT5002123

B/ 000/64/000/000/0140/0144

AUTHOR: BOBOKOV, P. A. (Moscow, U.S.S.R.)

TITLE: The order of addition of hydrosilanes to phenylacetylene

SOURCE: AN SSSR. Institut neftekhimicheskogo sinteza. Sintez i svoystva monomerov (The synthesis and properties of monomers). Moscow, Izd-vo Nauka, 1964, 140-144

TOPIC TAGS: silicoorganic compound, heterorganic compound, hydrosilane, phenylacetylene


ABSTRACT: The synthesis of $C_6H_5CH=CHSiCl_3$ (boiling. pt. $97^\circ C$ at 9 mm Hg), $C_6H_5CH_2CH(SiCl_3)_2$ (boil. pt. $162^\circ C$ at 8 mm Hg), $C_6H_5CH=CHSi(CH_3)Cl_2$ (b.p. $110^\circ C$ at 4 mm), $C_6H_5CH_2CH(Si(CH_3)Cl_2)_2$ (1-phenyl-2, 2-bis- (methylchlorosilyl)ethane) (b.p. $162^\circ C$ at 17 mm), $C_6H_5CH=CHSi(C_2H_5)Cl_2$ (β -ethyldichlorosilylstyrene, b.p. $133^\circ C$ at 16 mm), $C_6H_5CH_2CH(Si(C_2H_5)Cl_2)_2$ (b. p. $170^\circ C$ at 10 mm), $C_6H_5CH=CHSi(CH_3)(C_2H_5)Cl$ (b. p. $130^\circ C$ at 7 mm), $C_6H_5CH=CHSi(C_2H_5)_2$ (β -triethylchlorosilylstyrene, b. p. $138^\circ C$ at 10 mm), $C_6H_5CH_2CH_2Si(CH_3)_2Cl$ (b. p. $86^\circ C$ at 2 mm), $C_6H_5CH=CHSi(C_2H_5)F_2$ (β -ethyldifluorosilylstyrene, b. p. $80^\circ C$ at 5 mm), $C_6H_5CH_2CH_2Si(C_2H_5)F_2$ (b. p. $110^\circ C$ at 5 mm), and $C_6H_5CH=CHSiF_3$ (b. p. $41^\circ C$ at 1 mm)

Card 1/2

L 32217-65

ACCESSION NR: AT5002123

was accomplished, with a yield of 43-85%, by adding one or two molecules of trichloro-, methyltrichloro-, ethyldichloro-, methylethyldichloro-, and triethylsilane to phenylacetylene in the presence of 0.1 M chloroplatinic acid, according to the reaction:



where R is CH_3 or C_2H_5 and $n = 0, 1, 2, 3$. The hydrosilane molecules were found to add in the cis-position, forming a trans-isomer, contrary to the Markovnikov rule. Hard, vitreous polymers, difficultly soluble in organic solvents, resulted from the addition of one hydrosilane molecule to one phenylacetylene molecule. The recombination spectra, taken with an BIP-51 spectrograph, are supplied for some of the products. Orig. art. has: 1 table and 2 formulas.

ASSOCIATION: none

SUBMITTED: 30Jul64

ENCL: 00

SUB CODE: OC

NO REF SOV: 006

OTHER: 004

Card 2/2

KHIL'KO, Sof'ya

We don't close our eyes. Rab.1 sial. 39 no.1:3 Ja '63.

(MIRA 1642)

1. Zvenevaya kolkhoza "Radzima" Nesvizhskogo rayona.
(Nesvizh District—Flax)

BALAKINA, L.M.; BULMASOV, A.P.; DUVZHIR, G.; YESKIN, A.S.; KURUSHIN, R.A.; LOGACHEV, N.A.; LUK'YANOV, A.V.; NATSAG-YUM, L.; SOLONENKO, V.P., prof.; TRESKOV, A.A.; FLORENSOV, N.A.; KHIL'KO, S.D.; SHMOTOV, A.P.; ARSEN'YEV, A.A., red. #zd-va; DOROKHINA, I.N., tekhn. red.

[Gobi Altai earthquake] Gobi-Altayskoe zemletresenie. Moskva, Izd-vo Akad. nauk SSSR, 1963. 390 p. (MIRA 16:5)

1. Akademiya nauk SSSR. Sibirskoye otdeleniye. Vostochno-Sibirskiy geologicheskiy institut. 2. Chlen-korrespondent Akademii nauk SSSR (for Florensov).
(Gobi Altai--Earthquakes)

KHIL'KO, V., inzhener-polkovnik; USVATOV, A., mayor

How do you train radiotelegraph operators? Voen. vest 43 no.1:95-98
Ja 64. (MIRA 17:1)

KHIL'KO V.A.

2786. Kolkhoznaya Torgovlya V. sssr. i eye razvitiye na sovremennom ztape. M.,
1954. 16c. 22cm. (Akad. Obshestv. Nauk Pri Tsk KPSS. Kafedra Polit. Zkonomii)
220 zhz. B.TS (54-55714)

SO: Knizhnaya Letopis, Vol. 2, 1955

KHIL'KO, V.A. (Leningrad)

Applying Brook's method in the use of muscle tamponades in carotid-cavernous aneurysms. Vop.neirokhir. no.5:30-34 '61.
(MIRA 14:11)

1. Klinika neyrokhirurgii voyenno-meditsinskoy ordena Lenina akademii imeni S.M. Kirova.

(SURGICAL INSTRUMENTS AND APPARATUS)

17(6)

SOV/177-58-9-39/51

AUTHOR: Khil'ko V.M., Senior Lieutenant of the Medical Corps

TITLE: Practice of Medical Care of Depot Personnel

PERIODICAL: Voenno-meditsinskiy zhurnal, 1958, Nr 9, pp 85-86(USSR)

ABSTRACT: The author gives some general instructions for the medical care of the personnel of depots and bases, taking into consideration the breaking out of infectious diseases in populated districts.

Card 1/1

KHIL'KO, V.M., kapitan meditsinskoy sluzhby

~~APPROVED FOR RELEASE: 09/17/2001~~

CIA-RDP86-00513R000722020001-

Device for taking sample of air for testing bacterial contamination.

Voen.-med.zhur. no.3:83 Mr '61.

(MIRA 14:7)

(AIR SAMPLING APPARATUS)

KHIL'KO, V.M.

Diagnostic value of the hemagglutination reaction with washings from
the pharynx of patients with virus influenza. Lab. delo [7] no.4:
31-Apr '61. (MIRA 14:3)
(BLOOD--AGGLUTINATION) (INFLUENZA)

KHIL'KO, V.M.

Modification of Rechmenskii's bacterial trap. Lab. delo 10 no.
5:311-312 '64. (MIRA 17:5)

1. Kafedra mikrobiologii (nachal'nik - prof.A.A.Sinitskiy) Vo-
yenko-meditsinskoy ordena Lenina akademii im. S.M.Kirova, Lenin-
grad.

KOMSKAYA, M.S. [Koms'ka, M.S.]; KHIL'KO, V.V.; NICHIPORENKO, S.P.
[Nychyporenko, S.P.]

Structural-mechanical classification and elasticity of clays.
Dop. AN URSR no.8:1059-1061 '61. (MIRA 14:9)

1. Institut obshchey i neorganicheskoy khimii AN USSR i
Ukrainskiy nauchno-issledovatel'skiy institut steklyannoy i
farforovo-fayansovoy promyshlennosti. Predstavleno akademikom
AN USSR A.V. Dumanskim. [Dumans'kiy, A.V.]
(Clay--Analysis)

NICHIPORENKO, S.P.; KHIL'KO, V.V.; KOSTENKO, E.A.

Theoretical principle for the making up of ceramic paste batches.
Stek. i ker. 18 no.10:28-32 0 '61. (MIRA 14:11)
(Ceramics)

NICHIPORENKO, S.P.; KHIL'KO, V.V.

Structural and mechanical properties of palygorskite pastes as
influenced by the orientation of the particles. Dokl. AN SSSR
149 no.6:1377-1379 Ap '63. (MIRA 16:7)

1. Institut obshchey i neorganicheskoy khimii AN UkrSSR.
Predstavleno akademikom P.A.Rebinderom.
(Palygorskite) (Crystallography)

KASHIN, N.V. [deceased]; VORONOV, P.I.; LEVE, R.R.; ISAKOVA, N.Kh.;
KHIL'KO, Z.L.

Radio interference method for underground prospecting. Nauch..
trudy MGI no.31:5-59 '60. (MIRA 14:2)
(Radio in prospecting)

KHILKOV, V.A.

Problem of recurrent syphilis. Vest. vener., Moskva no. 4:39 July-Aug 1952.
(CJML 23:3)

1. Departmental Physician. 2. Of the Clinic for Skin and Venereal Diseases (Head -- V. A. Vedernikov), Arkhangel'sk Medical Institute.

KHILKOV, V.A.

Dynamics of cutaneous galvanic reactions in patients with secondary eruptions. Vest. dermat. i ven. no.5:43-49 '65.

(MIRA 18:11)

1. Kafedra kozhnykh i venericheskikh bolezney Arkhangel'skogo meditsinskogo instituta i kafedra kozhnykh bolezney Leningradskogo instituta usovershenstvovaniya vrachev (rukovoditeli raboty - cheln korrespondent AMN SSSR prof. P.V.Kozhevnikov i prof. V.A.Vedernikov). Submitted September 22, 1964.

VEDERNIKOV, V.A.; KAZANTSEV, Iu.M.; KORNILOV, A.D.; KHILKOV, V.A.

Negative serological reaction in patients with syphilis treated
with bicillin-1. Vest.derm.i ven. 3/4 no.6:42-43 '60. (MIRA 13:12)

1. Iz kafedry kozhnykh i venericheskikh bolezney (zav. - prof.
V.A. Vedernikov) Arkhangel'skogo meditsinskogo instituta.
(SYPHILIS) (PENICILLIN)

KHILKOV, V.A.

Functional disorders of the nervous system in patients with
secondary eruptions (allergids, microbids). Vest. derm. i ven.
37 no.4:26-32 Ap '63. (MIRA 17:5)

1. Kafedra kozhnykh i venericheskikh bolezney Arkhangel'skogo
meditsinskogo instituta i kafedra kozhnykh bolezney Leningrad'skogo
instituta usovershenstvovaniya vrachev (rukovoditeli raboty -
chlen korrespondent AMN SSSR prof. P.V. Kozhevnikov i prof. V.A.
Vedernikov).

KHILKOV, V. A., ordinator

Chronic trichophytosis in adults in Archangel Province. Vest. dermat. i ven. 34 no.1:24-27 Ja '60. (MIRA 14:12)

1. Iz kafedry kozhnykh i venericheskikh bolezney (zav. - prof. V. A. Vedernikov) Arkhangel'skogo meditsinskogo instituta.

(ARCHANGEL PROVINCE--RINGWORM)

KHILKOVA, Lidiya Stepanovna, ptichnitsa; FLIGEL'MAN, S., red.; ROZHDAYKINA, V.,
tekh. red.

[I will raise 6000 ducks] Vyrashchu 6000 utok. Kalinin, Kalininskoe
knizhnoe izd-vo, 1960. 15 p. (MIRA 14:12)

1. Kolkhoz "Velikiy put'" Sonkovskogo rayona (for Khilkova).
(Ducks)

KHILKOVA, O. G.

KHILKOVA, O. G. --"Agricultural-Engineering Substantiation of Sorting
Methods." (Dissertations For Degrees In Science and Engineering
Defended at USSR Higher Educational Institutions) (29) Min
Higher Education USSR, Azerbaijan Agricultural Inst, Kirovabad,
1955

SO: Knizhnaya Letopis' No 29, 16 July 1955

* For the Degree of Candidate in Agricultural Sciences

FILIPPOV, D.I.; KHARLAMP'YEVA, N.I.; MAKSAKOVA, V.M.; KHILKOVA,
O.G.; IVANCHENKO, Ye.A.; ZHUKOVSKIY, D.I.; BORDUKOVA, M.V.;
TAIROVA, V.N., red.

[Growing seed potatoes in the R.S.F.S.R.] Semenovodstvo kar-
tofelia v RSFSR [By] D.I.Filippov i dr. Moskva, Sel'khoz-
izdat, 1963. 166 p. (MIRA 17:6)

EX LIBRIS MEDICA Sec 7 Vol 13/8 Pediatrics Aug. 59

1990. THE PECULIARITIES OF THE CLINICAL COURSE OF TUMOURS OF THE POSTERIOR FOSSA IN CHILDREN (Russian text) - Khilkova T. A.

- Zh. NEVROPAT. I PSIKHIAT. 1958, 18/7 (852-857) Tables 4

Report of 125 cases of cerebral tumours in the age of 2-15 yr.; 55 of them were medulloblastomas, 47 astrocytomas and 23 of other types. After the age of 14, the tumours were less frequent. The interval between the appearance of the first symptoms and the diagnosis is shorter than in the adult. In younger children, the evolution of the tumour is more rapid. Headache, as the first sign of illness, occurs more often than in the adult; hypertensive fits are more severe, focal signs rarely occur in the beginning and early spontaneous nystagmus was often observed. In medulloblastomas, decompressive trepanation with biopsy, followed by deep X-ray treatment was found to be the most effective.

Černáček - Bratislava (VIII, 5, 7)

KLINICKÝ OTDEL LEHNEKARSKÉHO NAUČNÉHO - VÝSKUMNÉHO ÚSTAVU
NEVROLOGICKÉHO INSTITUTE DR. A. L. POLJAZA.

AKHUNDOV, A.A., kand. med. nauk; BAIROV, G.A., prof.; BOYARINOVA, M.V., kand. med. nauk; BUTIKOVA, N.I., doktor med. nauk; ZOBINA, M.M., kand. med. nauk; IVASHKO, L.M.; KAZANTSEVA, N.D., kand. med. nauk; ZLOTNIKOV, D.M., professor; KUZ'MIN, B.P., kand. med. nauk; OBODAN, N.M., kand. biol. nauk; KHILKOVA, T.A., kand. med. nauk; EPSHTEYN, Grigoriy Yakovlevich, prof.

[Traumatology and restorative surgery in children; selected chapters] *Travmatologiya i vosstanovitel'naya khirurgiya detskogo vozrasta; izbrannye glavy.* Leningrad, Meditsina, 1964. 334 p. (MIRA 17:6)

1. Chlen-korrespondent AMN SSSR (for Bairov).

KHILKOVA, T.A.

Clinical aspects and treatment of astrocytomas of the posterior
cranial fossa in children. Sbor. trud. Len. nauchn. obshch. nevr.
i psikh. no.6:50-55 '59. (MIRA 13:12)

1. Iz klinicheskogo otdela (zav. - prof. I.S. Babchin) Leningradskogo
nevrohirurgicheskogo instituta imeni prof. A.L. Polenova (direktor -
deystvitel'nyy chlen AMN SSSR prof. V.N. Shamov.
(~~BR~~AIN-TUMORS)

KHILKOVA, V. A.

LIPSKIY, I. A.; YAKHNIN, G. M.; KHILKOVA, V. A.; ANTIPOVA, V. Ya.

Treatment of gonorrhea with penicillin and autohemotherapy.
Vest. vener., Moskva no. 2:55-56 Mar-Apr 1952. (CIAML 22:2)

1. Of Arkhangel'sk Oblast Venereal Dispensary.

KHIL'KOVICH, A. S.

5786. Pribor dlya rikhtovki puti. L'vov, 1954. 4s.; i l. chert. 20sm. (MPS SSSR. L'vovskaya zh. d. tekhn. ot d. dorogi. dor. dom. tekhniki. DornITO. Sluzhba puti. Obmen proizvod. opytom. inform.-tekhn. Pis'mo No. 14. 500 EKZ. B. ts. -Sost. ~~Ukaz~~an v kontse teksta.-(54-15648zh) 625.17.0025

SO: Knizhnaya, Letopis, Vol. 1, 1955

KAS'YANOV, A.V.; IVANOV, V.I.; KHIL'KOVSKAYA, Ye.P.; SERGEYEV, A.A.;
FILIPPOVA, L.S., red.; GROMOV, Yu.V., tekhn.red.

[Heat exchange systems of series N60 a.c. electric locomotives]
Teploobmennye ustroistva elektrovozov peremennogo toka serii
N60. Moskva, Vses.izdatel'skc-poligr.ob"edinenie M-va putei
soobshchenia, 1961. 22 p. (MIRA 15:2)
(Electric locomotives--Cooling)

KHILINSKIY, F.A.; LOTYSHEV, I.P.; LEBEDENKO, G.B.; SHAVKUNOVA,
N.D.; DORIZO, A.P.; TERNOVAYA, K.G.; ANTIPOV, A.S.,
obshchestv. red.; BABAK, Yu.M., tekhn. red.

[Goryachiy Klyuch] Goriachii kliuch. Izd.2., ispr. i
dop. [By] F.A.Khilinskii i dr. Krasnodarsk, Krasnodarskoe
knizhnoe izd-vo, 1963. 84 p. (MIRA 17:2)

1. Glavnyy vrach sanatoriya No.2 Kurorta Goryachiy Klyuch,
Kavkaz (for Lebedenko). 2. Sanatoriy No.1 Kurorta Goryachiy
Klyuch, Kavkaz (for Shavkunova, Ternovaya). 3. Zamestitel' glavnogo
vracha po meditsinskoy chasti sanatoriya No.2 Kurorta Goryachiy
Klyuch, Kavkaz (for Dorizo).

KHILL, D.D.

Precise measurement of power at audio frequencies. Sbor. rab.
po vop. elektromekh no.5:299-307 '61. (MIRA 14:6)
(Electric measurements)

KLOOS, G., dipl. khim.; KHILLEBRAND, I. [Hillebrand, I.], inzh. khim.

Silicones and their application in electric industries.
Elektroenergiia 14 no.5/6:8-12 My-Je '63.

KHILLS, E.

4362. KHILLS, E. --Ocherki strukturnoy geologii. Per. s angl. N. B. Galdina. pod
red. I s predisl. A. V. Peka. M., Izd. inostr. Lit., 1954. 175 s. s ill.;
2 L. ill. 23 sm. 9r. 55k. V per. --(55-365p

551.24 & 551.1

SO: Knizhnaya Letopsis', Vol. 1, 1955

GROMOVA, M.I.; KHIL'MAN, Ya.I.; PESHKOVA, V.M.

Complex compounds of erbium with trihydroxyglutaric acid. Vest.
Mosk.Un.Ser.2: khim. 16 no.6:41-46 N-D '61. (MIRA 14:11)

1. Moskovskiy gosudarstvennyy universitet. Kafedra analiticheskoy
khimii.

(Erbium compounds) (Glutaric acid)

KHIL'MI, B. F.

Sur la structur d'ensemble des mouvements stables au sens de poisson. *Ann. of Math.*,
37 (1936), 43-45.

SO: Mathematics in the USSR, 1917-1947
edited by Jurosh, A. G.,
Markushevich, A. L.,
Rashevskiy, P. K.
Moscow-Leningrad, 1948

KHIL'MI, G. F.

Sur les ensembles quasi-minimaux dans les systemes dynamiques. Ann. of Math.
37 ((1936), 899,907.

SO: Mathematics in the USSR, 1917-1947
edited by Jurosh, A. G.,
Markushevich, A. L.
Rashevskiy, P. K.
Moscow-Leningrad, 1948

KHIL'MI, G. F.

Ob odnom svoystve minimal'nykh mnozhestv. DAN, 14 (1937), 261-262.

SO: Mathematics in the USSR, 1917-1947.

edited by Jurosh, A. G.,

Markushevich, A. L.

Rashevskiy, P. K.

Moscow-Leningrad, 1948

KHIL'MI, G. F.

Sur les mouvements des systemes dynamiques qui admettent "l'incompressibilite" des domaines. Amer. J. Math., 59 (1937), 803-808.

SO: Mathematics in the USSR, 1917-1947.
edited by Jurosh, A. G.,
Markushevich, A. L.
Rashevskiy, P. K.
Moscow-Leningrad, 1948

KHIL'MI, G. F.

PA 17/49T82

USSR/Mathematics - Mechanics

Jul/Aug 48

Mathematics - Mathematics, Applied

"Zakhvat's Problem in Connection With the Three-
Body Problem," O. Yu. Shmidt, G. F. Khil'mi, 3 pp

"Uspekhi Matemat Nauk" Vol III, No 4 (26)

Discusses the many faulty assumptions previously
made in the study of planetary motions, for
example: separating masses into solar and planetary,
with incorrect moments of inertia.

17/49T82

Hil'mi, G. F. On the possibility of capture in the problem of three bodies. Doklady Akad. Nauk SSSR (N.S.) 62, 39-42 (1948). (Russian)

Smidt, O. Yu. The theory of capture and statistical laws of the distribution of the orbits of double stars. Doklady Akad. Nauk SSSR (N.S.) 62, 43-46 (1948). (Russian)

Smidt, O. Yu., and Hil'mi, G. F. The problem of capture in the three body problem. Uspehi Matem. Nauk (N.S.) 3, no. 4(26), 157-159 (1948). (Russian)

A solution of the three-body problem can be said to represent a capture if two of the bodies separate to infinite distance in the past but remain within a constant distance in the future. This definition was replaced by Smidt by the following one. The solution represents capture if at a time t_0 the three pairs of relative motions (regarded as initial conditions for the two-body problem) are hyperbolic and the distances all exceed a constant R_1 , while at a later time t_2 two of the bodies are within distance $R_2 < R_1$ and have elliptic motions, while the third body is at a distance greater than R_1 and has a hyperbolic motion. The constants R_1 and R_2 are interpreted respectively as a mean stellar distance in the galaxy and a mean diameter of a double star. In a previous paper [Doklady Akad. Nauk SSSR (N.S.) 58, 213-216 (1947)] Smidt gave a numerical example to show the possibility of such capture. Hil'mi generalizes this by

requiring (1) existence of a time t_1 such that $r' < -Br$, where r is the minimum distance between the bodies, r' is the minimum of the three radial velocities, and B is a certain function of the masses, and (II) of a time t_2 such that for some R and $\epsilon < R$ one has $2r < 2R < \rho$, $\rho' > 0$ and $\rho' - A\rho^{-1} > C$. Here A and C are certain functions of the masses, R , ϵ and h (the energy constant), while ρ is the distance between the farthest body and the center of mass of the two close ones, and $\rho' = d\rho/dt$. Hil'mi states the following theorems. (1) If condition (I) holds, then all three distances become infinite as t approaches $-\infty$. (2) If $h > 0$ and (II) holds, then ρ increases steadily to ∞ as t increases while $r \leq R$ for $t > t_1$. (3) Smidt's example satisfies (I) and (II), hence illustrates capture in terms of Hil'mi's definition. (4) The measure of the set of initial conditions leading to capture is not zero. The proof of the last theorem is given in a few lines.

The results stated are given in the first of the three papers, and their astronomical significance for double stars and for the solar system is discussed briefly in the second and third papers. The third paper also contains a discussion of the probability distribution of the semi-axis a for double stars. On the basis of rough approximations and simple analysis

it is concluded that the probability density should be of the form $(a + \rho)^{-2}$ for large a , where ρ is a constant.

W. Kaplan (Zurich).

Source: Mathematical Reviews,

Vol 10 No. 7

66

Smid

Hil'mi, G. F.

Hil'mi, G. F. The problem of a bodies in celestial mechanics and cosmogony 18

The paper is concerned with two groups of celestial mechanics of problems. The first group is concerned with the stability of motion of a body in a gravitational field of a central body and a sufficient condition for the stability of motion of a body in a gravitational field of a central body is given. The second group is concerned with the stability of motion of a body in a gravitational field of a central body and a sufficient condition for the stability of motion of a body in a gravitational field of a central body is given.

announced and their cosmogonical significance is discussed. No proofs.

Ann. Astr. Soc. (N.S.) 58, 211-216 (1967).

Smidt and Hil'mi, Uspehi Matem. Nauk, N 5, 3, no. 4, 101, 157-159 (1948); these Rev. 10, 487.

Mathematical Reviews,

Vol. 12, No. 1

KHIL'MI, G. F.

166135

USSR/Hydrology - Rainfall
Percolation

Sep/Oct 50

"Retention of Rainfall by Forests," G. F.
Khil'mi, Geophys Inst, Acad Sci USSR

"Iz Ak Nauk SSSR, Ser Geograf i Geofiz" Vol
XIV, No 5, pp 448-454

Proposes method for calculating amount of rain-
fall which can be retained by forests on basis
of empirically determined parameters which char-
acterize specific water capacity and form of
tops of various trees. Gives example of using
this method for spruce trees and compares

166135

USSR/Hydrology - Rainfall (Contd) Sep/Oct 50

calculations with data of direct pluviometric
observations in forest. Submitted 26 Jan 50
by Acad O. Yu. Shmidt.

166135

KHIL MI, G. F.

3

Hilbert, G. F. The virial theorem in celestial mechanics.

Source: Mathematical Reviews, 1950 Vol 11 No. 6

SA

6273. Dispersive processes in a system of a bodies under Newton attraction. G. E. Kuzina. Dokl. Akad. Nauk. SSSR, 71 (No. 5) 847-50 (1950) in Russian.

A 53

W-17490

ASB-51A METALLURGICAL LITERATURE CLASSIFICATION

123001 SYMBOLS
124000 +

125000 -125999

126000 -126999

127000 -127999

128000 -128999

129000 -129999

130000 -130999

131000 -131999

132000 -132999

133000 -133999

134000 -134999

135000 -135999

136000 -136999

137000 -137999

138000 -138999

139000 -139999

140000 -140999

141000 -141999

142000 -142999

143000 -143999

144000 -144999

145000 -145999

146000 -146999

147000 -147999

148000 -148999

149000 -149999

150000 -150999

151000 -151999

152000 -152999

153000 -153999

154000 -154999

155000 -155999

156000 -156999

157000 -157999

158000 -158999

159000 -159999

160000 -160999

161000 -161999

162000 -162999

163000 -163999

164000 -164999

165000 -165999

166000 -166999

167000 -167999

168000 -168999

169000 -169999

170000 -170999

171000 -171999

172000 -172999

173000 -173999

174000 -174999

175000 -175999

176000 -176999

177000 -177999

178000 -178999

179000 -179999

180000 -180999

181000 -181999

182000 -182999

183000 -183999

184000 -184999

185000 -185999

186000 -186999

187000 -187999

188000 -188999

189000 -189999

190000 -190999

191000 -191999

192000 -192999

193000 -193999

194000 -194999

195000 -195999

196000 -196999

197000 -197999

198000 -198999

199000 -199999

200000 -200999

201000 -201999

202000 -202999

203000 -203999

204000 -204999

205000 -205999

206000 -206999

207000 -207999

208000 -208999

209000 -209999

210000 -210999

211000 -211999

212000 -212999

213000 -213999

214000 -214999

215000 -215999

216000 -216999

217000 -217999

218000 -218999

219000 -219999

220000 -220999

221000 -221999

222000 -222999

223000 -223999

224000 -224999

225000 -225999

226000 -226999

227000 -227999

228000 -228999

229000 -229999

230000 -230999

231000 -231999

232000 -232999

233000 -233999

234000 -234999

235000 -235999

236000 -236999

237000 -237999

238000 -238999

239000 -239999

240000 -240999

241000 -241999

242000 -242999

243000 -243999

244000 -244999

245000 -245999

246000 -246999

247000 -247999

248000 -248999

249000 -249999

250000 -250999

251000 -251999

252000 -252999

253000 -253999

254000 -254999

255000 -255999

256000 -256999

257000 -257999

258000 -258999

259000 -259999

260000 -260999

261000 -261999

262000 -262999

263000 -263999

264000 -264999

265000 -265999

266000 -266999

267000 -267999

268000 -268999

269000 -269999

270000 -270999

271000 -271999

272000 -272999

273000 -273999

274000 -274999

275000 -275999

276000 -276999

277000 -277999

278000 -278999

279000 -279999

280000 -280999

281000 -281999

282000 -282999

283000 -283999

284000 -284999

285000 -285999

286000 -286999

287000 -287999

288000 -288999

289000 -289999

290000 -290999

291000 -291999

292000 -292999

293000 -293999

294000 -294999

295000 -295999

296000 -296999

297000 -297999

298000 -298999

299000 -299999

300000 -300999

301000 -301999

302000 -302999

303000 -303999

304000 -304999

305000 -305999

306000 -306999

307000 -307999

308000 -308999

309000 -309999

310000 -310999

311000 -311999

312000 -312999

313000 -313999

314000 -314999

315000 -315999

316000 -316999

317000 -317999

318000 -318999

319000 -319999

320000 -320999

321000 -321999

322

Hil'mit, G. F. Samidissipative motions in a system of n
bodies attracting according to Newton's law

any other at t such that the distance of each P_i from P_j is not less than $\frac{1}{2}r_{ij}$ for all i, j beyond any limit. A system of $n+1$ material points subjected to mutual Newtonian attraction and possessing a total mass M is divided in two groups: (a) P_0, P_1, \dots, P_k ; (b) $P_{k+1}, P_{k+2}, \dots, P_{n+1}$. Let m_i be the mass of P_i and r_{ij} the distance of P_i from P_j . Let further

$$M'_i = \sum_{j=1}^n m_i m_j, \quad M''_i = \min \{m_i m_j / (m_i + m_j)\}.$$

$$M_i = M_i' / M_i'', \quad i = 0, 1, \dots, k-1,$$

and $\rho_i(t) = \min_{j \neq i} \{r_{ij}\}$, $\sigma_i = \min_{j \neq i} \{dr_{ij}/dt\}$. The author proceeds to demonstrate the following theorem.

Theorem 1. If the constant energy integral H is positive and the initial conditions satisfy the conditions $r_i^*(0) = 4M_i/\sigma_i(0)$, $\dot{r}_i^*(0) = 0$, $r_i^*(0) \leq r_{ij}(0)$, $\sigma_i^2(0) \geq 8M_i/\rho_i(0)$, $i = 0, 1, \dots, n$, $\sum_{i=0}^n \sum_{j=0, j \neq i}^n m_i m_j \{r_{ij}^*(0) - 4M_i/\sigma_i(0)\sigma_j(0)\} \geq 2MH$, then $\rho_i(t) \rightarrow \infty$ when $t \rightarrow \infty$ for all $i = 0, 1, \dots, n$.

Proof. Let us consider the group composed of P_0, \dots, P_n and the dissipative subsystem. If the number of i values in the latter group is only two, it can be shown that they form a stable subsystem.

L. Jaccchia (C. Ambrosini, Milano)

of Mathematical Reviews,

7-1 : 4.

KHIL'MI, G. F.

"Dissipative Motions in a System of n Bodies which Are Attracted According to Newton's Law, DAN, Vol. LXXII, No. 5, pp 847-150, 1950.

KHIL'MI, G. F.

"Semidissipative Motions in a System of n Bodies Which Are Attracted to Newton's Law, DAN, Vol. LXXII, No, 6, pp 1041-1044, 1950.

KHIL'MI, G. F.

176T2

USSR/Astronomy - Stellar Clusters
Stellar Capture

11 Apr 50

"Dissipative Motions in a System of n Bodies Attracted According to Newton's Law," G. F. Khil'mi, Geophys Inst, Acad Sci USSR

"Dok Ak Nauk SSSR" Vol LXXXI, No 5, pp 847-850

Khil'mi generalizes 3-body problem to n bodies and discusses in particular his investigations into phenomena of "stellar dissipation" in connection with O. Yu. Schmidt's theory of stellar capture. He establishes several theorems and criteria governing dispersal of stars. Submitted 1 Feb 50 by Acad O. Yu. Schmidt.

176T2

NIKOLAI, G. F.

Science

Problem of bodies in celestial mechanics and cosmogony. Moskva, AN, SSSR, 1951.

9. Monthly List of Russian Accessions, Library of Congress, October 1951, Uncl.

2

11. m_1, m_2, \dots, F . The
 12. bodies with inclinations
 13. $\alpha_1, \alpha_2, \dots, \alpha_F$ to the
 14. horizontal. In the classical
 15. case, the energy is
 16. $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$, and
 17. the angular momentum
 18. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 19. The total energy and
 20. angular momentum are
 21. conserved. In the
 22. relativistic case, the
 23. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 24. and the angular momentum
 25. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 26. The total energy and
 27. angular momentum are
 28. conserved. In the
 29. quantum case, the
 30. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 31. and the angular momentum
 32. is $L = \sum_{i=1}^F \hbar l_i$. The
 33. total energy and
 34. angular momentum are
 35. conserved. In the
 36. classical case, the
 37. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 38. and the angular momentum
 39. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 40. The total energy and
 41. angular momentum are
 42. conserved. In the
 43. relativistic case, the
 44. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 45. and the angular momentum
 46. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 47. The total energy and
 48. angular momentum are
 49. conserved. In the
 50. quantum case, the
 51. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 52. and the angular momentum
 53. is $L = \sum_{i=1}^F \hbar l_i$. The
 54. total energy and
 55. angular momentum are
 56. conserved. In the
 57. classical case, the
 58. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 59. and the angular momentum
 60. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 61. The total energy and
 62. angular momentum are
 63. conserved. In the
 64. relativistic case, the
 65. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 66. and the angular momentum
 67. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 68. The total energy and
 69. angular momentum are
 70. conserved. In the
 71. quantum case, the
 72. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 73. and the angular momentum
 74. is $L = \sum_{i=1}^F \hbar l_i$. The
 75. total energy and
 76. angular momentum are
 77. conserved. In the
 78. classical case, the
 79. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 80. and the angular momentum
 81. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 82. The total energy and
 83. angular momentum are
 84. conserved. In the
 85. relativistic case, the
 86. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 87. and the angular momentum
 88. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 89. The total energy and
 90. angular momentum are
 91. conserved. In the
 92. quantum case, the
 93. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 94. and the angular momentum
 95. is $L = \sum_{i=1}^F \hbar l_i$. The
 96. total energy and
 97. angular momentum are
 98. conserved. In the
 99. classical case, the
 100. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 101. and the angular momentum
 102. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 103. The total energy and
 104. angular momentum are
 105. conserved. In the
 106. relativistic case, the
 107. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 108. and the angular momentum
 109. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 110. The total energy and
 111. angular momentum are
 112. conserved. In the
 113. quantum case, the
 114. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 115. and the angular momentum
 116. is $L = \sum_{i=1}^F \hbar l_i$. The
 117. total energy and
 118. angular momentum are
 119. conserved. In the
 120. classical case, the
 121. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 122. and the angular momentum
 123. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 124. The total energy and
 125. angular momentum are
 126. conserved. In the
 127. relativistic case, the
 128. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 129. and the angular momentum
 130. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 131. The total energy and
 132. angular momentum are
 133. conserved. In the
 134. quantum case, the
 135. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 136. and the angular momentum
 137. is $L = \sum_{i=1}^F \hbar l_i$. The
 138. total energy and
 139. angular momentum are
 140. conserved. In the
 141. classical case, the
 142. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 143. and the angular momentum
 144. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 145. The total energy and
 146. angular momentum are
 147. conserved. In the
 148. relativistic case, the
 149. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 150. and the angular momentum
 151. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 152. The total energy and
 153. angular momentum are
 154. conserved. In the
 155. quantum case, the
 156. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 157. and the angular momentum
 158. is $L = \sum_{i=1}^F \hbar l_i$. The
 159. total energy and
 160. angular momentum are
 161. conserved. In the
 162. classical case, the
 163. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 164. and the angular momentum
 165. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 166. The total energy and
 167. angular momentum are
 168. conserved. In the
 169. relativistic case, the
 170. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 171. and the angular momentum
 172. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 173. The total energy and
 174. angular momentum are
 175. conserved. In the
 176. quantum case, the
 177. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 178. and the angular momentum
 179. is $L = \sum_{i=1}^F \hbar l_i$. The
 180. total energy and
 181. angular momentum are
 182. conserved. In the
 183. classical case, the
 184. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 185. and the angular momentum
 186. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 187. The total energy and
 188. angular momentum are
 189. conserved. In the
 190. relativistic case, the
 191. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 192. and the angular momentum
 193. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 194. The total energy and
 195. angular momentum are
 196. conserved. In the
 197. quantum case, the
 198. energy is $E = \sum_{i=1}^F \hbar \omega_i$,
 199. and the angular momentum
 200. is $L = \sum_{i=1}^F \hbar l_i$. The
 201. total energy and
 202. angular momentum are
 203. conserved. In the
 204. classical case, the
 205. energy is $E = \frac{1}{2} \sum_{i=1}^F m_i v_i^2$,
 206. and the angular momentum
 207. is $L = \sum_{i=1}^F m_i r_i^2 \dot{\phi}_i$.
 208. The total energy and
 209. angular momentum are
 210. conserved. In the
 211. relativistic case, the
 212. energy is $E = \sum_{i=1}^F \gamma_i m_i c^2$,
 213. and the angular momentum
 214. is $L = \sum_{i=1}^F \gamma_i m_i r_i^2 \dot{\phi}_i$.
 215. The total energy and
 216. angular momentum are
 217. conserved. In the
 218. quantum case, the
 219. energy is $E = \sum_{i=1}^F \hbar \$

Vol 13 No. 8

KHIL'MI, G. F.

184T3

USSR/Astronomy - Stellar Capture

1 Jun 51

"One Criterion Governing the Nonrupturability of
Capture in the Three-Body Problem," G. F. Khil'mi,
Geophys Inst, Acad Sci USSR

"Dok Ak Nauk SSSR" Vol LXXVIII, No 4, pp 653-656

Establishes inequalities among radiuses, masses,
distances, densities, energies, etc., that det sub-
ject nonrupturability. Submitted 12 Apr 51 by Acad
O. Yu Shmidt.

184T3

2000
Hil'mi, G. F. On completely unstable systems of n gravi-
tating bodies. Doklady Akad. Nauk SSSR (N.S.) 79,
419-422 (1931) (Russian)

In the classical n -body problem, let r_{ij} denote the distance
between particles P_i and P_j at time t , let

$$r(t) = \min(r_{ij}), \quad s(t) = \min(t_{ij}), \quad m_i = \text{mass of } P_i, \\ M = \sum m_i, \quad M' = \min m_i m_j / (m_i + m_j), \quad M'' = M' / M.$$

Units are chosen so that the constant of gravitation is 1. It
is then proved that if $s(0) > 0$ and $s'(0)q(0) > 8M$, then
 $q(t) \rightarrow \infty$ as $t \rightarrow \infty$. This criterion for instability is shown to
be applicable, by reversal of the time scale, to the problem
of "capture" in the three-body problem [cf. the preceding
review].
W. Kaplan (Ann Arbor, Mich.).

Smu
L24

Source: Mathematical Reviews,

Vol 13 No. 5

KHIL'KI, G. F.

Earth

Recent information on the origin and evolution of the earth. Geog. v shkole no. 3, 1952

9. Monthly List of Russian Accessions, Library of Congress, September 195^X₂, Uncl.

KHILMI, G.

"New Theory on the Origin of the Earth and Planets" by G. Khilmi, Master of
Physics and Mathematics, Institute of Geography of the USSR Academy of Sciences

Full article in English in World Student News, Vol 6, No 8, 1952, p.12, Unclassified

KHIL'MI, G. F.

Sketches of Russian astronomers ("Leading Russian astronomers." Yu. G. Perel'.
Reviewed by G. F. Khil'mi). Nauka i zhizn'19 no.4, '52.

9. Monthly List of Russian Accessions, Library of Congress, July 195^X₂, Uncl.

Khil'mi, G. F.

USSR/Astronomy

Card 1/1

Author : Khil'mi, G. F., Cand. in Physico-Mathematical Sciences

Title : Origin and early evolution of the early evolution of the earth

Periodical : Nauka i Zhizn' 21/2, 20-22, Feb/1954

Abstract : The author gives the universally accepted ideas of the structure of the solar system. The similarity of the movements of the planets points to a common origin. The theory of the origin of the solar system from scattered bits, dust and gas is the logical one. This matter did not move in a plane. This resulted in collisions and grouping of matter into fewer units with change in energy. The author has a theory as to how the planets came to be divided into two groups. Drawings.

Institution :

Submitted :

KHIL'MI, G.F.

Effect of the thickness of forest litter on the number of sprouts
of pine and spruce and on the competitive relationship among them.
Dokl.AN SSSR 95 no.2:395-398 Mr '54.
(Spruce) (Pine) (MLRA 7:3)

KHIL'MI, Genrikh Frantsevich, kandidat fizike-matematicheskikh nauk;
SAMSONENKO, L.V., redaktor; USPENSKAYA, N.V., redaktor;
DMITRIYEVA, R.V., tekhnicheskii redaktor.

[Two hundred years of scientific cosmogony] Dvesti let nauchnoi
kosmogenii. Moskva, Izd-vo "Znanie," 1955. 30 p. (Vsesoiuznoe
obshchestvo po rasprostraneniю politicheskikh i nauchnykh
znanii. Ser.3, no.25) (MLRA 8:9)
(Cosmogony)

KHIL'MI, G.F.; DZERDZHEVSKIY, B.L., professor, otvetstvennyy redaktor;
URANOV, A.A., professor, otvetstvennyy redaktor; STAROSTENKOVA,
M.M., redaktor izdatel'stva; MAKUNI, Ye.V., tekhnicheskii redaktor

[Theoretical biogeophysics of forests] Teoreticheskaya biogeofizika
lesa. Moskva, Izd-vo Akad. nauk SSSR, 1957. 204 p. (MIRA 10:8)
(Forests and forestry)

KHIL'MI, G. F.

"Information Theory and Animal Ecology," Voprosy filosofii /Problems of
Philosophy/, 1957, No. 4, Pages 168 - 172.

KHIL'MI, G.F., (Moskva)

Academician Otto Iul'evich Shmidt; obituary. Fiz. v shkole
17 no.1:28-31 Ja-F '57. (MLRA 10:2)

(Shmidt, Otto Iul'evich, 1891-1956)

GENRIKH FRANTSEVICH

PHASE I BOOK EXPLOITATION

489

Khil'mi, Genrikh Frantsevich

Kachestvennyye metody v probleme n tel (Qualitative Methods in Problems of n Bodies) Moscow, Izd-vo AN SSSR, 1958. 121 p. 3,500 copies printed.

Sponsoring agency: Akademiya nauk SSSR. Institut fiziki zemli.

Resp. Ed.: Novikov, P.S., Corresponding Member of the U.S.S.R. Academy of Sciences; Ed. of Publishing House: Gurov, K.P.; Tech. Ed.: Kostyukovskaya, R.L.

PURPOSE: This book is intended for mathematicians interested in the problem of n bodies.

COVERAGE: The author presents some methods of qualitative analysis in the problem of n bodies, and certain results obtained using these methods. The general equations and integrals of the n bodies problem are given and the simplest theorems derived by

Card 1/4

Qualitative Methods in Problems of n Bodies

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722020001-7

Jacobi concerning the final motions of n bodies are presented. The possibility of the application of the methods of dimensional analysis to qualitative studies of the problem of n bodies is analyzed. Certain inequalities are derived, on the basis of which the analytical form of the criterion, with an unknown factor concerning final motions in the problem of n bodies, is given. The method of continuous induction proposed by the author is defined. Certain theorems are proved which are applied to the qualitative analysis of final motions. Sufficient criteria are given concerning the realization of certain types of final motions in the form of limitations laid upon the initial values of the parameters of the gravitational system of n bodies. The method of invariant measure based on phase interpretation of mechanical systems is given. The concept is introduced of a phase $f(p,t)$ as a point in v-dimensional Euclidean Space E^v , called phase space. By applying the method of invariant measure, from the motion of phase points in multidimensional space conclusions of a general character are drawn about the motion of particles in three-dimensional space. General theorems concerning the motion of n gravitational bodies are proved by the method of invariant measure. The author attempts to analyze certain cases of the evolution of a system of gravitational bodies on the basis of celestial mechanics. The transition of the system

Card 2/4

Qualitative Methods in Problems of n Bodies

Qualitative Methods in Problems of n Bodies	489
Ch. 3. Method of Continuous Induction	33
Ch. 4. Method of Invariant Measure	68
Ch. 5. Analysis of Certain Cases of Evolution of Systems of Gravitational Bodies	105
References	120

AVAILABLE: Library of Congress

Card 4/4

LK/ad
8-21-58

SHMIDT, Otto Yul'yevich, akademik [deceased]; KUROSH, A.G., doktor fiz.-matem. nauk, otv.red.toma; GRIGOR'YEV, A.A., akademik, red.; DELONE, B.N., red.; KALASHNIKOV, A.G., doktor fiz.-matem.nauk, red.; KOZLOVSKAYA, S.V., red.; LEBEDINSKIY, A.I., doktor fiz.-matem.nauk, red.; LEVIN, B.Yu., doktor fiz.-matem.nauk, red.; MAL'TSEV, A.I., red.; KHIL'MI. G.F., doktor fiz.-matem.nauk, red.; SHEVELEV, M.I., general-leytenant, red.; POLENOVA, T.P., tekhn.red.

[Selected works; mathematics] Izbrannye trudy; matematika. Moskva, Izd-vo Akad.nauk SSSR, 1959. 315 p. (MIRA 12:2)

1. Chlen-korrespondent AN SSSR (for Delone, Mal'tsev).
(Groups, Theory of)

KOGAN, Ya.B., red.-sostavitel'; ALEKSANDROV, akademik, otv.red.; KALASHNIKOV, A.G., doktor fiz.-mat.nauk, red.; GRIGOR'YEV, A.A., akademik, red.; DELOVA, B.N., red.; KOZLOVSKAYA, S.V., red.; KUROSH, A.G., doktor fiz.-mat.nauk, red.; LEBEDINSKIY, A.I., doktor fiz.-mat.nauk, red.; LEVIN, B.Yu., doktor fiz.-mat.nauk, red.; MAL'TSEV, A.I., akademik, red.; KHIL'MI, G.F., doktor fiz.-mat.nauk, red.; SHEVELEV, M.I., geroy Sovetskogo Soyuza, red.; PROKOF'YEVA, N.B., red.izd-va; POLENOVA, T.P., tekhn.red.

[Otto IUL'evich Shmidt; his life and works. A collection devoted to a hero of the Soviet Union, Academician Otto IUL'evich Shmidt, 1891-1956] Otto IUL'evich Shmidt; zhizn' i deiatel'nost'. Sbornik, posviashchennyi geroiu Sovetskogo Soyuza akademiku Otto IUL'evichu Shmidt, 1891-1956. Moskva, 1959. 469 p. (MIRA 12:12)

1. Akademiya nauk SSSR. 2. Chlen-korrespondent AN SSSR (for Delone). (Shmidt, Otto IUL'evich, 1891-1956)

SHMIDT, Otto Yul'yevich [deceased]; LEBEDINSKIY, A.I., doktor fiz.-matem. nauk, otv.red.toma; LEVIN, B.Yu., doktor fiz.-matem.nauk, otv.red.toma; KHIL'MI, G.F., doktor fiz.-matem.nauk, otv.red.toma; KALASHNIKOV, A.G., doktor fiz.-matem.nauk, red.; GRIGOR'YEV, A.A., akademik, red.; DELONE, B.N., red.; KOZLOVSKAYA, S.V., red.; KUROSH, A.G., doktor fiz.-matem.nauk, red.; MAL'TSEV, A.I., akademik, red.; SHEVELEV, M.I., general-leytenant, Geroy Sovetskogo Soyuza, red.; NOVICHKOVA, N.D., tekhn.red.; KASHINA, P.S., tekhn.red.

[Selected works; geophysics and cosmogony] Izbrannye trudy; geofizika i kosmogoniia. Moskva, Izd-vo Akad.nauk SSSR, 1960. 209 p.
(MIRA 14:1)

(Cosmogony) (Geophysics)
(Schmidt, Otto Iul'yevich, 1891-1956)

SHMIDT, Otto Yul'yevich, akademik [deceased, 1891-1956]; GRIGOR'YEV, A.A., akademik, otv.red.toma; SHEVKELEV, M.I., general-leytenant, Geroy Sovetskogo Soyusa, otv.red.toma; DELONE, B.N., red.; KALASHNIKOV, A.G., doktor fiz.-matem.nauk, red.; KOZLOVSKAYA, S.V., red.; KUROSH, A.G., doktor fiz.-matem.nauk, red.; LEBEDINSKIY, A.I., doktor fiz.-matem.nauk, red.; LEVIN, B.Yu., doktor fiz.-matem.nauk, red.; MAL'TSEV, A.I., akademik, red.; KHIL'MI, G.F., doktor fiz.-matem.nauk, red.; MEYEROVICH, O.V., red., izd-va; KASHINA, P.S., tekhn.red.

[Selected geographical works] Izbrannye trudy; geograficheskie raboty. Moskva, Izd-vo Akad.nauk SSSR, 1960. 212 p.

(MIRA 13:11)

1. Chlen-korrespondent AN SSSR (for Delone).
(Schmidt, Otto IUL'yevich, 1891-1956)
(Arctic regions)

KHILO, A.I.

Accelerated growth of snowberries. Biul. Glav. bot. sada
no.40:114 '61. (MIRA 14:10)

1. Botanicheskiy sad L'vovskogo gosudarstvennogo universiteta
imeni Iv. Franko.
(Berries)

LOZOVY, Yu.I., kand.tekhn.nauk; KHILO, Ye.R., inzh.

Strengthening reinforced concrete beams of multispans roofs of industrial buildings. Stroi.konstr. no.2:77-8/, '65.

(MIRA 18:12)

1. L'vovskiy politekhnicheskij institut (for Khilo).

SLIPCHENKO, P.S., glav. red.; KUCHERENKO, K.R., red.; FILONENKO, K.I., red.; LESNAYA, A.A., red.; ABYZOV, A.G., red.; BUDNIKOV, M.S., red.; VETROV, Yu.A., red.; GLADKIY, V.I., red.; GOLOSOV, V.A., red.; IZMAYLOV, V.G., red.; KANYUKA, N.S., red.; KAPOV, E.A., red.; KLINDUKH, A.M., red.; KUSHNAREV, N.Ye., red.; LUYK, A.I., kand. tekhn. nauk, red.; NEMENKO, L.A., red.; RYBAL'SKIY, V.I., red.; SITNIK, I.P., red.; FEDOSENKO, N.M., red.; FILAKHTOV, A.L., kand. tekhn. nauk, red.; KHILOBOCHENKO, K.S., red.; VORONKOVA, L.V., red.; KIYANICHENKO, N.S., red.

[Construction industry: technology and mechanization of the construction industry; the economics and organization of construction] Stroitel'noe proizvodstvo: tekhnologiya i mekhanizatsiya stroitel'nogo proizvodstva; ekonomika i organizatsiya stroitel'stva. Kiev, Budivel'nyk, 1965. 180 p.

(MIRA 18:4)

1. Nauchno-issledovatel'skiy institut stroitel'nogo proizvodstva. 2. Nauchno-issledovatel'skiy institut stroitel'nogo proizvodstva (for Luyk, Filakhtov).

1. KHILOBOCHENKO, L. S., Eng.
2. USSR (600)
4. Ukraine--Hydroelectric Power Stations
7. Technical and economic indices for small hydroelectric stations in the Ukrainian SSR, Trudy Inst. tepl. An URSR, No. 6, 1952.
9. Monthly List of Russian Accessions, Library of Congress, April, 1953, Uncl.

KHILBOCHENKO, L.S., inzhener.

Using local power resources for agricultural electrification in the
Ukrainian S.S.R. Trudy Inst.tepl. AN URSS no.9:79-87 '53.
(Ukraine--Rural electrification)

(MLRA 8:6)

KHILOBOCHENKO, L.

112-1-360

Translation from: Referativnyy Zhurnal, Elektrotehnika, 1957, Nr 1, p. 60 (USSR)

AUTHOR: Khilobochenko, L.

TITLE: Construction of Rural Hydroelectric Power Stations in the Ukraine
(Stroitel'stvo sel'skikh gidroelektrostantsiy na Ukraine)

PERIODICAL: Sel'skoye str-vo, 1955, Nr 9, pp. 18-20, Sil's'ke budivnitstvo, 1955, Nr 9, pp. 18-20

ABSTRACT: In postwar years several hundred rural hydroelectric power stations with a total capacity of about 55 Mw were built in the Ukrainian SSR. In 1955, 63 rural hydroelectric power stations were under construction with a total capacity of 27 Mw. Unlike the earlier-built low capacity stations, starting with 1949, the construction of more powerful inter-collective and state rural hydroelectric power stations with a capacity of over 100 kw each has developed on a large scale. The cost of construction of the small hydroelectric power stations is from 8000 to 9000 rubles per one installed kw. The electric energy obtained from the high-power hydroelectric power stations costs 2 to 3 times less than that from the low-power ones. A composite table of data of costs of construction and of material outlay for construction of some rural stations is presented. Ways of reducing the cost of building hydroelectric power stations are explained: the application of new designs, efficient layout of the installations, and the

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722020001-7

Construction of Rural Hydroelectric Power Stations in the Ukraine (Cont.)

utilization of local building materials. A description and drafts of certain improved types of spillway dams (with or without gates on the crest of the dam) are given: vacuum type dams (the consumption of concrete is reduced by 10 to 15 per cent); spillway rock-fill dams for weak soils (the expenditure of concrete is reduced by 25 to 30 per cent); spillway dams of the multiple-arch type (the volume of concrete is reduced by 30 per cent). According to data of the Ukrainian branch of the Giproset'-elektro (State Institute for the Planning of Rural Electrification) the construction in the Ukrainian SSR of over 220 rural hydroelectric power stations with a total capacity of 269 Mw is planned for the immediate future. The cost of their construction is estimated at 1.7 billion rubles.

Yu. M. S.

Card 2/2

KHILOP, HENKO, L.S., inzh.

Water resources of Vietnam. Nauka i zhyttia 8 no.3:52-54
Mr '58. (MIRA 12:9)
(Vietnam, North--Water resources development)

KHILOBOCHENKO, L. S.

8(6);14(6)

PHASE I BOOK EXPLOITATION

SOV/2961

Podhorinov, Anatoliy Leonidovich, and Leonid Samsonovich Khilobochenko

Hydroenergetychno vykorystannya malykh richok Ukrayiny (Water Power Utilization of Small Rivers of the Ukraine) Kyiv, Vyd-vo AN URSR, 1959. 193 p. 1,000 copies printed.

Sponsoring Agency: Akademiya nauk Ukrayins'koyi RSR. Rada po vyvchennyu produktyvnykh syl URSR.

Resp. Ed. of Publishing House: O. M. Pyehkovs'ka; Tech. Ed.: I. D. Mil'okhin; Ed.: I. L. Rozovs'kyy, Candidate of Technical Sciences.

PURPOSE: The book is intended for hydraulic and power engineers and other specialists concerned with the erection and operation of small hydroelectric stations for rural use. It will be of use to students studying hydraulic and power engineering.

COVERAGE: This book reviews the latest practices in design and operation of small hydroelectric power stations serving the rural economy, with particular emphasis upon conditions in the

Card 1/8

Water Power Utilization (Cont.) SOV/2961

Ukrainian SSR. General principles governing the selection of construction site, the actual building of the station and its components, and, finally, the methods of operation and output indicators are described and analyzed. The problem of future utilization of streams and rivulets for additional power generation is discussed. Of particular interest are descriptions of innovations introduced in the construction of dams. There are 62 Soviet references.

TABLE OF CONTENTS:

Foreword	3
Potential Water Power Resources of Small and Medium-size Rivers in the Ukrainian SSR	5
Ch. I. History of the Development of Hydroelectric Stations in the Ukraine	12
Exploitation of water in small rivers prior to 1917	12
Growth of electric water-power capacities in 1917-40	13
Construction of hydroelectric stations along small rivers	
Card 2/8	

Water Power Utilization (Cont.) SOV/2961

in the Ukraine in 1917-40	15
Exploitation of water in small rivers in the Ukraine in 1945-57	17
Ch. II. Designs of Hydroelectric Stations Along Small Rivers in the Ukrainian SSR and Planning of Water-power Developments	22
Certain facts concerning the classification of small water-power stations	22
Circumstances limiting the application of certain water-power generating schemes	26
Designing of components for a run-of-river station	30
Designing of components for a peak-load power plant	36
Types of diversion-channel plants and flow-storage plants	40
Designing of plant components for diversion-channel plants and flow-storage plants	43
Ch. III. Selecting the Installed-Power Capacity for a Small Water-power Station and Hydrological Computations	50

Water Power Utilization (Cont.)

SOV/2961

Experience with designing concrete spillways	71
Experience with designing concrete-impounding spillways	76
Box-shaped dams	78
Water gates of small hydroelectric power stations	81
Homogeneous dams	86
Use of pre-assembled ferro-concrete structures	87

Ch. V. Experience With Designing Diversion Installations for Small Hydroelectric Stations 91

General principles	91
Water-intake installations for hydroelectric stations	91
Diversion channels	96
Tunnels	96
Pressure-storage reservoirs	97
Water conduits and pipes	100
Breakwater installations	101
Installations along diversion channels	101
Conclusions	104

Card 5/8

Water Power Utilization (Cont.)

SOV/2961

Ch. VI. Experience With Building Small and Medium-size Hydroelectric Stations 105

General principles	105
Turbines for small and medium-size hydroelectric stations	105
Power equipment of small hydroelectric stations	109
Types of power-plant houses and certain conclusions from designing experience	110
Unification of size standards for power houses of small hydroelectric stations	113
Hydroelectric power houses equipped with culvert gates	116

Ch. VII. Experience With Operating Small Hydroelectric Stations 119

Power capacity and output of hydroelectric stations	119
Power consumption and workload	126
Supply of electric power to consumers	128
Cost of power production	129
Effectiveness of flow and discharge control	131
Effectiveness of connecting hydroelectric stations into local grids	132

Card 6/8

Water Power Utilization (Cont.)

SOV/2961

Ch. VIII. Damages to Hydraulic Installations of Small Water-Power Plants Inflicted on Them in the Course of Operation 135

Water seepage through reservoir walls	135
Damages to hydraulic installations caused by ice-flow	137
Experience with operating a power installation with a simple spillway	140
Damages to floodgate supports	142
Damages to underwater (submerged) spillway installations	145
Premature damages to concrete structures	149
Damages caused by infiltration	151
Conclusions	156

Ch. IX. Technological and Economic Indicators of Hydroelectric Stations 158

Scope of principal objectives	158
Building costs of small and medium-size hydroelectric stations	160
Material expenditure in building a hydroelectric station	165
Time standards for construction	167

Card 7/8

KUDIN, Sergey Nikolayevich [Kudin, S.M.]; PODGORINOV, Anatoliy Leonidovich
[Podhorinov, A.L.]; KHILOBOCHENKO, Leonid Samsonovich;
POLTORATSKAYA, Ye. [Poltorats'ka, E.], red.; VOLOSHCHENKO, Z., red.;
NARINSKAYA, A. [Narins'ka, A.], tekhn.red.

[Small hydroelectric power stations of the Ukrainian S.S.R.] Mali
hidroelektrostantsii URSR. Kyiv, Derzh.vyd-vo lit-ry z budivnytstva
i arkhitekt. URSR, 1960. 158 p. (MIRA 14:3)
(Ukraine--Hydroelectric power stations)

GAVRILOV, V.D. [Havrylov, V.D.]; KHILOBOCHENKO, L.S.

History of the utilization of the water power of small rivers in
the Ukraine. Nar. s ist. tekhn. no.6:23-39 '60. (MIRA 13:11)
(Ukraine--Water resources development).

< KHILBOCHENKO, L.S., inzh.

In the country of the thousands of lakes. Znan. to pratsia
no. 2;16-17 F '61.

(MIRA 14:5)

(Finland--Views)

SOV/124-58-3-3340

Translation from: Referativnyy zhurnal, Mekhanika, 1958, Nr 3 p 112 (USSR)

AUTHORS: Khilobok, G. K., Khomenko, V. I.

TITLE: Investigation of Thin-walled Beams (K voprosu issledovaniya tonkostennykh sterzhney)

PERIODICAL: Nauchn. zap. Poltavsk. in-t inzh. s.-kh. str-va, 1956, Nr 3, pp 133-147

ABSTRACT: A brief summary of the development of restrained-torsion theory of open-profile thin-walled beams is given. A description of two devices for determination of center of flexure is also given.

K. F. Kovalov

Card 1/1

00000000

COUNTRY : USSR

CATEGORY : Human and Animal Physiology, Pharmacology

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722020001-7

ABST. JOUR. : RZhBiol., No. 5 1959, No. 22609

AUTHOR : Chepinoga, O.; Khilobok, I.

* INST. : --

TITLE : Peculiarities of the Nucleoprotein Complexes in the Rabbit Lung after Sublethal Roentgen Irradiation.

ORIG. PUB. : Ukr. biokhim. zh., 1958, 30, No. 2, 200--211

ABSTRACT : An increase in the extractability of DNA from nucleoprotein complexes of pulmonary tissue was detected 30 minutes and 2 hours after total irradiation with an X-ray dose of 600 r. Two hours and, especially, 8 days after irradiation, an increase was seen in the amount of RNA in whole lung tissue, a finding which was apparently associated with increased synthesis of RNA during restitution. The increase in the protein content of whole lung tissue apparently results from the transfer of protein elements of the blood into the

Card:

T-123

* INSTITUT BIOKHIMII AN URSS, Kiy

CHEPINOGA, O.P. [Chepynoha, O.P.]; HOVIKOV, B.G. [Hovykov, B.H.];
LYUBARSKAYA, M.A. [Liubars'ka, M.O.]; KHILOBOK, I.Yu.

Some characteristics of desoxyribonucleic acids from erythrocytes of ducks of various breeds under normal conditions and following reciprocal treatments with desoxyribonucleic acid preparations. Ukr.biokhim.zhur. 32 no.3:368-380 '60.

(MIRA 13:6)

1. Institute of Biochemistry of the Academy of Sciences of the Ukrainian S.S.R., Kiev and the Experimental Biology Department of Kiev State University.

(DESOXYRIBONUCLEIC ACID)

(HEREDITY)

KHILOBOK, I.Yu. [Khylobok, I.IU.]

Age-related changes in some properties of DNA of the intestinal mucous membrane of white rats. Ukr. biokhim. zhur. 37 no.1:43-50 '65. (MIRA 18:5)

1. Institute of Gerontology and Experimental Pathology of the Academy of Medical Sciences of the U.S.S.R., Kiev.

KHILOBOK, M.P., uchitel'

Work of a club of young chemists. Khim.v shkole 15 no.1:90
Ja-F '60. (MIRA 13:5)

1. Srednyaya shkola No. 5 Uch-Kurganskogo rayona, Uzbekskoy SSR.
(Chemistry--Societies, etc.)

KHILOBOK, M.P., uchitel'

Pupil observations of facts explained by the theory of the phasic development of plants. Biol.v shkole no.2:88-89 Mr-Apr '60.
(MIRA 13:8)

1. Srednyaya shkola No.5 Uch-Kurganskogo rayona, Namanganskoy oblasti, Uzbekskoy SSR.
(Growth (Plants))

RAZORENOV, Vadim-Igor' Fedorovich; EYZLER, Pavel Il'ich;
KHILOBOK, Vitaliy Gavrilovich; GRIGOR'YEV, V.A., red.

[New method and instruments for testing cohesive soils
for compactibility] Novyi metod i pribory dlia ispytani
sviaznykh gr. tov na uplotniaemost'. Leningrad, 1964.
27 p. (MIRA 17:9)

KHILOV, K.L.

[Selected problems in the clinical treatment of gunshot wounds of laryngological organs] Izbrannye voprosy kliniki ognestrelnykh povrezhdenii lor-organov. Leningrad, 1946. 122 p.

(MLRA 6:7)

(Throat--Wounds and injuries)

KHILOV, K.L.

Cerebral cortex and vestibulosomatic reflexes. Vest.otorinol. 13 no.1:6-15 Jan-Feb 51. (CML 20:5)

1. Of the Department for Diseases of the Ear, Throat, and Nose (Head--Honored Worker in Sciences Prof.K.L.Khilov), Leningrad Sanitary Hygienic Institute (Director--Prof.D.A.Zhdanov, Corresponding Member of the Academy of Medical Sciences USSR).

KHILOV, K.L.

[Cerebral cortex in the function of the vestibular analyser] Kora golovno-go mozga v funktsii vestibuliarnogo analizatora. Moskva, Gos. Izd. Med. Literaturny, 1952. 84 p. (MLRA 6:5)
(PsA 28 no.1/2:386 '54)

1. KHILOV, K. L., Prof.
2. USSR (600)
4. Otosclerosis
7. Fenestration in otosclerosis. Vest. oto-rin., 14 no.6, 1952.
9. Monthly List of Russian Accessions, Library of Congress, March 1953.
Unclassified.